PROMPT PEST CONTROL EQUIPMENTS

Product Name/Item No.	Specification	Pests Covered	Salient Features
-----------------------	---------------	---------------	------------------

	Dimensions : 23 x 18 x 9 cm	Rodents	Automatic Frequency
		- Mice	Change
	Weight : 1200g	- Rats	Adjustable Sweeping
			Sound
	Sound Pressure : 115 dB	Birds	Safe, Releiable, Chemical-
		- Pigeons	Free
	Consumption : 4 watts	- Sparrows	Environment Friendly
· more the first and	Frequency range : from 10,000 Hz to	- Bats	Does not interfere with
· nortet	65,000 Hz		electrical appliances
	Effective range : upto 8000sq. ft.		Inaudible to humans
	When in an open field without any		3D Ultrasonic Waves
	obstruction, their coverage could be		
Ultrasonic Pest Repeller TM-315	doubled		

Rs. 14500/-

	Dimensions: 90 x 170 x 120 m/m	Birds	PIR function
	Power supply: 100-120VAC, 50/60 cycles	- Pigeons	AUTO function with 5-30
		- Sparrows	minutes interval
	Adapter: 220-240VAC, 50/60 cycles	- Starlings	Built-in photocell
	Output: 12VDC	- Crows	Built-in volume
VOLUME THE PITERNAL		- Blackbirds	adjustment
-	Sound: Digital recording of hawks, falcons		Sounds of hawks and
	and owls		owls may scare outdoor
			rats, mice, rabbits
	Protection Coverage: up to 5000 sq.ft		TIME INTERVAL
	(when VOLUME knob turned to maximum)		adjustment
	PIR function: Fan shaped area of 130		Economic power
Sonic Bird Chaser LS-2001	degree, distance up to 30ft		consumption
	Rs. 7200/-		

	Dimensions: 110 x 100 x 95 mm	Birds	Effective and safe
	Weight : 255 g (main module + shelter)	- Pigeons	Built-in test button
	Power supply: 9V (2 x 9V alkaline battery)	- Starlings	Weatherproof and
		- Sparrows	maintenance free
	Protection coverage: up to 85 square	- Blackbirds	Dual 9V battery
BirdAway	meters, fan shaped area of 70	- Crows,	operation and optional
Free Poeter	degree(horizontal);	- Other pest birds	adapter operation
	9 degree (vertical) at a distance of 12	etc.	ultrasonic emission and
Bird Away LS-987BF	meters		flashlight
Rs. 5210/-			

	Dimensions: 8" dia. x 7.5"h	Birds	Gives off intimidating,
		- Pigeons	intense white, red and
		- Starlings	blue light
	Weight : 2000 g	- Sparrows	1 million candlepower
	Power supply: 220vAC (220vAC adaptor included)	- Swallows	75 flashes per minute
	Protection coverage: up to 10,000 sq. ft.	-	Avoid government and
Bird-Lito" Mana xuelika			safety inspection failures
	9 degree (vertical) at a distance of 12	-	Cut recurring cleanup
Bird Strobe Light	meters		and repair costs
Rs. 24000/-			

	Dimensions: 153 x 228 x 101 mm	Birds	Programmable – select
		- Pigeons	sounds, volume, interval,
		- Starlings	day/night operation
		- Sparrows	
	Weight : 1500 g (shipping weight)	- Gulls	Weatherproof – Rated
			casing is designed to
			withstand outdoor use
	Power supply: 220vAC or 12vDC (220vAC	1	high-quality digital
	adaptor included; battery not included)		playback
	Protection coverage: up to 1 acre	1	Sonic – emits audible
			sounds
	Sound Pressure: 105–110 db at 1 meter		made in the USA
	Frequency: 3–5 kHz		
BirdXPeller Pro	EPA Est. 075310-OR-001		
	Rs. 25000/-		

Dimensions: 228 x 228 x 134 mm Birds Programmable – select sounds, volume, interval, - Pigeons - Starlings day/night operation - Sparrows Weight : 6000 g (shipping weight) Weatherproof – Rated - Gulls casing is designed to withstand outdoor use Power supply: 220vAC or 12vDC (220vAC high-quality digital adaptor included; battery not included) playback Protection coverage: up to 6 acre Sonic – emits audible sounds Sound Pressure: 105–110 db at 1 meter made in the USA Frequency: 3–5 kHz 4 speaker system EPA Est. 075310-OR-001 Super BirdXpeller Pro Rs. 51500/-

	Dimensions: 228 x 228 x 134 mm	Birds	powerful high-frequency
		- Pigeons	ultrasonic waves
		- Starlings	
		- Sparrows	
	Weight : 6000 g (shipping weight)	- Seagulls	Weatherproof – Rated
		- Crows	casing is designed to
		- Grackles	withstand outdoor use
		- Cormorants	
	Power supply: 220vAC or 12vDC (220vAC	- Rodents	ideal for repelling any
	adaptor included; battery not included)	- Bats	bird
	Protection coverage: Up to 3,600 sq. ft.		Utilizes NEWEST
			technology to create
			powerful high-frequency
			ultrasonic waves
	Sound Pressure: 95–102 dB (each speaker)	1	made in the USA
	at 1 meter		
	Frequency: 15–25 kHz]	4 speaker system
Ultrasonic X	EPA Est. 075130-OR-001		

Dimensions: 228 x 228 x 127 mm Birds Programmable – select - Pigeons sounds, volume, interval, - Starlings day/night operation - Sparrows Weight : 6000 g (shipping weight) Sonic & ultrasonic -- Seagulls - Crows emits a combination of - Grackles audible noises and high-- Cormorants frequency sound waves that are silent-tohumans Power supply: 220vAC or 12vDC (220vAC high-quality digital adaptor included; battery not included) playback of naturally recorded threats Protection coverage: Up to 3,600 sq. ft. Warehouses, (ultrasonic), up to 6 acres (sonic) manufacturing, plants Sound Pressure: Ultrasonic sounds 95–102 4 independent speakers dB (each speaker) at 1 meter, Sonic with 100 ft. of wire each 105–110 dB (each speaker) at 1 meter Frequency: Ultrasonic 15–25 kHz, Sonic 3–5 3 visual scare kHz products included BroadBand Pro with Visuals EPA Est. 075130-OR-001 made in the USA Rs. 67500/-

	Dimensions: QB-4 12" x 12" x 4", Strobe 6"	Birds	powerful high-frequency		
	x 4" x 4"	- Pigeons	ultrasonic waves		
		- Starlings			
	Weight : 6000 g (shipping weight)	- Sparrows	flashing strobe light for		
		- Rodents	multi-sensory attack		
		- Bats			
9 M - 311 - 2	Power supply: 220vAC or 12vDC (220vAC		Low profile solution –		
	adaptor included)		easy to install		
111-	Protection coverage: Up to 6,500 sq. ft.		"Silent to Humans" audio		
			attack.		
	Ultrasound Output: Range 20–30 kHz; 112		made in the USA		
	dB at 1 meter at 22kHz per speaker				
	Strobe Flash Rate: 60 triple pulse flashes		4 built-in speakers emit		
Super QuadBlaster QB-4	per minute		high-frequency sounds		
	Rs. 56500/-				

	Dimensions: QB-4 12" x 12" x 4"	Birds	powerful high-frequency	
		- Pigeons	ultrasonic waves	
and the second		- Starlings		
· · · · · · · · · · · · · · · · · · ·	Weight : 6000 g (shipping weight)	- Sparrows	Low profile solution –	
		- Rodents	easy to install	
	Power supply: 220vAC or 12vDC (220vAC	- Bats	"Silent to Humans" audio	
	adaptor included)		attack.	
	Protection coverage: Up to 6,500 sq. ft.		made in the USA	
	Ultrasound Output: Range 20–30 kHz; 112		4 built-in speakers emit	
QuadBlaster QB-4	dB at 1 meter at 22kHz per speaker		high-frequency sounds	
Rs. 46500/-				

	Telescopic Arms: 2.5 feet each	Birds	Sweeps continuously
	Protection Coverage : 5 feet	- Pigeons	covering upto 5 foot in
	Includes 2 Mylar Streamers	- Crows	diameter
	Weight: 1kg	- Sparrows	Easy mount, portable
	Rotation: 30 rotations per minute	- Gulls	Simple Installation
	Power: Solar Powered Panel - Green		Creates frightening
	Product		environment
	Battery: 2 AA Rechargable Batteries		Solar Power - Energy
	(charger not included)		stored for night use
Solar Bird Repeller	Dimensions: 9" x 7.5" x 7"		ON/OFF switch
Rs. 12500/-			

	Arms: 3 feet each (staineless steel)	Birds	Sweeps continuously
0	Protection Coverage : 6 feet	- Pigeons	360° in wind covering 5
	Includes 2 Reflective Predator Eyes	- Crows	feet in diameter
	Weight: 1kg	- Sparrows	Easy mount, portable
	Rotation: 360° rotation	- Gulls	Simple Installation
	Power: Wind Powered - Green Product	- Large Pest Birds	Creates frightening
			environment for birds
· · · · ·	Base: Polycarbonate (UV Stabilized)		Permanently attachable
-	More Base Options Available		to surfaces
Bird Sweep Repeller 360	Protection Clip to keep in place		High wind tested
Rs. 6650/-			

	Arms: 12 tangle freearms (staineless steel)	Birds	Sweeps 360° in wind
	Arm Tips: Polycarbonate Clipped	- Pigeons	covering 2, 4, 6 or 8 feet
\sim) (\sim	Protection Coverage: 2, 4 ,6 & 8 feet	- Crows	in diameter. Does not
		- Sparrows	harm birds
	Weight: 1kg	- Gulls	Easy mount, portable
	Rotation: 360° rotation of arms	- Cormorants	Simple Installation
	Power: Wind Powered - Green Product		Creates menacing
			environment for birds
	Base: Polycarbonate (UV Stabilized)		Permanently attachable
Bird Deterrent Spiders -	More Mounting Options Available		to surfaces
Daddi Long Legs	Locking Mechanism to ensure stability		High wind tested
Rs. 5850 (2 ft) Rs. 6350 (4 ft) Rs. 7150 (6 ft) Rs. 7850 (8 ft)			

	Arms: 3 (plastic, chrome dipped)	Birds	Sweeps continuously
	Base: Aluminum	- Pigeons	360° in wind reflecting
	Includes 2 Reflective Predator Eyes	- Doves	sunlight
	Weight: 800 grams	- Grackles	Easy mount & Gluing
	Rotation: 360° rotation	- Parrots	Simple Installation
	Power: Wind Powered - Green Product		Creates frightening
- 11 -	Can be mounted @ 45 degrees also		environment for birds
	Dimensions: 290 mm (H), 250 mm (W)		Permanently attachable
	Base Dimensions: 180 mm x 130 mm		to surfaces
	Tested upto 80 miles per hour winds		Weatherproof & sturdy
Flock Reflector - Bird Deterrent			
	D- 0250/		-

Rs. 8250/-

	Diameter: 2 ft.	Birds	Terror Eyes moves in the
		- Pigeons	wind, increasing efficacy
		- Starlings	
	Weight : 1kg	- Sparrows	Bright colors and
		- Gulls	features exaggerate the
588 A87	Protection coverage: up to 1 acre of open	- Woodpecker	glaring stare and gaping
	space where visible	- Blackbird	mouth of natural
Terror Eyes			predators
Bs 5300/-			

Rs. 5300/-

	Diameter: 16 inch	Birds	Includes three balloons –
		- Pigeons	one white, one yellow,
		- Starlings	one black
	Weight : 1kg	- Sparrows	Reflective Mylar eyes
		- Gulls	and tails included for
		- Woodpecker	added intimidation
	Protection coverage: up to 6000 sq.ft. per	- Blackbird	Simple, cost-effective
	balloon where visible		solution – hang the
Scare Eyes			balloons anywhere!
Rs. 4100/- (set of 3 balloons)			

	Dimensions: width 2", thickness 2mm	Birds	Simple, cost-effective,
		- Pigeons	and easy to install
		- Starlings	
	Material: polyester	- Sparrows	Foil tape makes metallic
		- Seagulls	noises, threatening birds
		- Woodpecker	
	Includes metal mounting brackets	- Blackbird	Iridescent material
		- Ducks	shimmers in the sunlight
Irri-Tape			
	Rs. 4300/- (100 ft.)		

	Diameter: 44" wingspan, 23" total head-to-	Birds	Predator owl replica; life-
	tail, 6" head diameter	- Pigeons	size owl
	Weight : 1kg	- Starlings	Always-moving
		- Sparrows	"hunting" posture keeps
		- Seagulls	birds away
	Protection coverage: up to 4000 sq.ft.	- Crows	Flexible wings move and
	where visible	- Grackles	flap in the wind
		- Cormorants	realistically
Prowler Owl			
Rs. 6500/-			

> WAY / / /	Length: 1 feet per strip	Birds	Stainless Steel Won't
		- Pigeons	Corrode or Decay
	Width: 0.7 inch	- Starlings	Flexible Base
	Height: 4.5 inch	- Sparrows	Extremely Easy to Use
	Spread Area: 7 inch in V shape, 4 row	- Seagulls	High quality spikes can
	arrangement	- Crows	last a lifetime!
	Material - 304 Grade Stainless Steel	- Black Birds	Less expensive than
	Base- UV stabilized polycarbonate		100% metal alternatives
23	Light-weight and Shatterproof		
-	Please wear protective gloves and avoid		One-time solution - no
	loose clothing. Please be carefull during		maintenance required
Stainless Steel Bird Spikes	installation.		
Rs. 140 per foot (without installation)			

	Length: 1.5 inch per unit	Birds	Plastic Spikes Won't
		- Pigeons	Corrode or Decay
	Width: 3.4 inch per unit	- Starlings	One-time solution
	Arrangement: 9 tiped spikes per unit	- Sparrows	Extremely Easy to Use
	Material - HDP/LLDP – zero bio-degradable	- Seagulls	High quality spikes can
	material	- Crows	last a lifetime!
	100% effective everywhere they are	- Black Birds	Less expensive & low-
	installed - repel birds 24/7		profile bird control
			method
	Please wear protective gloves and avoid		Easy to install, requires
	loose clothing. Please be carefull during		little to no maintenance
Plastic Bird Spikes	installation.		
Rs. 70 per foot (without installation)			

	Max. Horizontal Range: 350 degrees	Birds	The ultimate laser beam	
	Max. Vertical Range: 120 degrees	- Pigeons	with highly precise	
	Weight: 25 Kg (including support frame)	- Starlings	optics, filtering and light	
Andrew Account	Protection: With a chain or a ground	- Sparrows	frequencies	
-Printer Automic	anchor	- Gulls		
	Dimensions: 410mm x 410mm x 560mm		Continuous presence of	
	(excluding support frame)		the moving laser beam	
	Dimensions: 660mm x 660mm x 1200mm		keeps areas free of birds	
	(including support frame)		24 x 7	
	Power Source: City Power Supply, Solar		PIN code protected with	
	Panel or Car Battery		emergency stop	
	Protection coverage: up to 12 sq. kms.		Works day and night	
	Color Laser Beam: Green		Easy to deploy in every	
	Laser Class: 3B		desired situation	
Agrilaser Autonomic	Service Life: 5000 hours		Software Controlled	
Rs 775000/-				

Rs. 775000/-

	Dimensions: 18.5 x 14.8 x 7 cm	Birds	Multi-colored lasers (2
	Remote Operated with key switch	- Pigeons	colors) confuse pest
		- Starlings	birds. State-of-the-art
		- Sparrows	device
	Weight : 2000 g (shipping weight)	- Seagulls & Gulls	Laser beams constantly
and the second second	Housing : Cast Aluminimum	- Barn Swallows	change patterns to
- Binottan I	Laser: Fat-beam laser technology	- Ducks	prevent acclimation.
		- Grackles	
	Power supply: 220vAC (220vAC adaptor	- Crows & Blackbirds -	Use indoors and/or in
	included;)	Cormorants	semi-enclosed spaces
	Protection coverage: up to 10,000 ft. (upto	- Bats	Works day and night
	1000 feet in dark)	- Rodents	
	Power Consumption: 50 Watt	- Small Critters	World's first indoor laser
	Laser Color: 4.9mW RED + GREEN		bird repellent
Bird Blazer Indoor	Classification: 3R, Divergence: 60 deg.		Includes Remote
Rs. 55000/-			

	Dimensions: 216 x 280 x 165 mm Weight : 5000 g (shipping weight)	Birds - Pigeons - Starlings - Sparrows - Gulls	Multi-colored lasers (3 colors) confuse pest birds. State-of-the-art device Laser beams constantly
			change patterns to prevent acclimation. Fat- beam laser technology
11 7	Power supply: 220vAC(220vAC adaptor included;)		Use indoors and/or in semi-enclosed spaces
	Protection coverage: up to 10,000 ft.		Works day and night
	Laser Power: 10mW FAT BEAM		World's first indoor laser
	Laser Color: 4.9mW RED + GREEN		bird repellent
Mega Blaster Pro	Classification: 3R		Includes Remote
Rs. 470000/-			

	Max Range: upto 2500 meter (2 Kms)	Birds	Suitable for repelling
	Service Life: 5000 hours	- Pigeons	most bird species
	Weight: 760 grams	- Sparrows	Fast and long-lasting
		- Crows	results
	Dimensions: 424 x 66 X 83 mm	- Doves	Animal and
		- Grackles	environmentally friendly
	Color Laser Beam: Green	1	Silent portable device for
	Laser Class: 2M		bird repelling
154	Power Source: 2 x C Battery		Birds will not get used to
N.	Energy Consumption: 4 Watts		the laser beam
	Do not stare into the beam or view directly		Advanced patented
Agrilaser - Handheld	with optical instruments		optical technology
	Rs. 80000/-		

	Max Range: upto 1000 meter (1 Kms)	Birds	Adjustable beam
	Service Life: 5000 hours	- Pigeons	diameter settings
	Weight: 180 grams	- Sparrows	Fast and long-lasting
and the second second		- Crows	results
	Dimensions: 195 x 25 mm	- Doves	Animal and
B		- Grackles	environmentally friendly
T RAIL ARA			
1. The second se	Color Laser Beam: Green		Silent portable device for
	Laser Class: 2M		bird repelling
	Power Source: 2 x CR123 Battery		Birds will not get used to
	Energy Consumption: 2 Watts		the laser beam
	Do not stare into the beam or view directly		Advanced patented
Agrilaser - Lite	with optical instruments		optical technology
Rs. 45000/-			

Height: 1/4 inch Lowest visiblity bird Birds - Pigeons control product Width: 1.6 inch - Sparrows Flexible - Conforms to - Crows any surface shape Material: U.V. Stabilized PVC and Stainless Most Effective Shock - Doves Steel teaches birds to stay away Do not install in areas easily accessible to Long Lasting Made from pedestrians. Low voltage shock (non-lethal) the best materials Bird Shock Track Rs. 250 per foot (without installation) - Charger Unit sold separately

	3-Pack dimensions: 13" x 5" x 5"	Birds	Non-toxic, tacky bird
BIRD BIRI BIRD & BIRD PROLETO PROLETO BIRD BIRD PROLETO BIRD BIRD BIRD BIRD BIRD BIRD BIRD BIRD	12-Pack dimensions: 8" x 6" x 12"	- Pigeons	repellent gel
	each tube of 300g grams	- Starlings	
	Protection coverage: 10 linear ft. per tube	- Sparrows	The gel does not harm
			birds – it simply makes
			surfaces uncomfortable,
			intimidating & uninviting
			Lasts for about a year on
			average
Bird Proof Gel			made in the USA

*IMPORTANT NOTE: Small birds may become fatally entrapped by this tacky repellent. To reduce hazards to legally protected species, and to avoid noncompliance, follow all instructions carefully. Keep out of lakes, ponds, and streams. It is a violation of law to use this product in a manner inconsistent with its labeling. Read all instructions sheet before beginning and follow all use directions and precautions.

Rs. 5700/- (pack of 3) | Rs. 13850/- (pack of 12)

	Pack dimensions: 10" x 5" x 12" Protection coverage: 35 sq.mtr of average tree	Birds - Pigeons - Starlings - Sparrows - Crows	Keep pest birds from roosting or landing on any surface. Non-toxic, sticky liquid makes surfaces sticky and uncomfortable to birds Apply with a power / hand washer, or a	
			paintbrush	
Bird Proof Gel			made in the USA	
Do not apply to the exterior of buildings or structures				
Rs. 10950/- (4 litres)				

Prices :	Ex. Our Ahmedabad Office	
Taxes :	Extra as applicable	
Payment :	100% advance with purchase order	
Delivery :	within 2 weeks from the date of payment and order confirmation	
	Units in stock will be dispatched immediately	
Pre-requisite :	Kindly read pre-requisites sheet carefully to follow the steps listed	
Returns :	No returns accepted except for manufacturing defect	
Warranty :	6 months Manufacturers warranty on all products	
	1 year Manufacturers warranty for Agrilasers, LS-2001 & LS-987BF	