






# PROMPT PEST CONTROL EQUIPMENTS


Product Name/Item No.	Specification	Pests Covered	Salient Features
 <p>Ultrasonic Pest Repeller LS-968</p>	Dimensions : 105 x 92 x 78 m/m	Rodents - Mice - Rats	Harmless to humans
	Weight : 170 grams		No dangerous poison
	Power supply : adapter; output: 9VDC, 200mA		Safe for general pets
	Power Consumption : 1½ watts		Built-in LED indicator
	Frequency range : 20,000 Hz to 27,000 Hz (continuously variable)		Equipped with adjustable detachable bracket for multi-angle setting
	Output sound pressure : 130dB		Economic power consumption
	Effective range : 1,000 to 1,500 sq.ft. (unobstructed)		Absolutely Noiseless
<b>Rs. 1800/-</b>			


 <p>Attack Wave Pest Repeller LS-927</p>	Dimensions : 120 x 90 x 70 m/m	Rodents - Mice - Rats  Other general insects	Harmless to humans
	Weight : 160 grams		No dangerous poison
	Power supply : by adaptor, output: 9VDC, 200mA		Safe for general pets
	Power consumption : 1½ watts		Built-in Test Button for function checking
	Frequency range : 30,000Hz to 65,000Hz (continuously variable)		Auto-changing and auto sweeping high intensity frequency
	Output sound pressure : 130dB		Economic power consumption
Emission angle : 260°	Absolutely Noiseless		
<b>Rs. 2200/-</b>			

 <p>3D Stereo Wave Pest Repeller LS-967</p>	Dimensions : 115 (dia) x 75 (H) mm	Rodents - Mice - Rats - Bats - Squirrels	Harmless to humans
	Weight : 120 grams		No dangerous poison
	Power supply : by adaptor 110-240VAC Output: 9VDC, 200mA		Safe for general pets
	Power consumption : 1½ watts		Exclusive switch for mode setting
	Frequency range : 13,000Hz to 45,000Hz (continuously variable)		Auto-changing and auto sweeping high intensity frequency
	Output sound pressure : 130dB		Economic power consumption
Emission angle : 260° & 180° (upside)	Absolutely Noiseless		
<b>Rs. 2900/-</b>			

 <p>Duo Pro-Pest Repeller LS-927M</p>	Dimensions : 119 x 98 x 98 mm	Rodents - Mice - Rats	Harmless to humans
	Weight : 180g		No dangerous poison
	Power supply : AC adaptor, 100 – 120VAC; 220 – 240VAC	Cockroaches Fleas Other general insects	Safe for general pets
	Output : 9VDC 200mA		Exclusive switch for DUO, TRANS, ULTRA, TEST mode setting
	Frequency range : from 25,000 Hz to 65,000 Hz		Auto-changing and auto sweeping high intensity frequency
	Effective range : up to 3000 – 4000 sq. ft.	Economic power consumption	
Emission angle : 260°	Absolutely Noiseless		
<b>Rs. 3200/-</b>			

 <p>Ultrasonic Pest Repeller LS-919</p>	Dimensions : 75 x 43 x 70 mm	Rodents - Mice - Rats	Harmless to humans
	Weight : 45g		No dangerous poison
	Power Consumption : 1½ watts	Cockroaches Fleas Insects	Safe for general pets
	Output Sound Pressure : 120 dB		Direct Plug-In
	Frequency range : from 21,000 Hz to 25,000 Hz		Compact, Easy Installation, Maintenance Free
	Effective range : up to 200 sq. ft.	Economic power consumption	
	Built-in LED, ON/OFF		
<b>Rs. 1300/-</b>			

 <p>Ultrasonic Pest Repeller LS-925</p>	Dimensions : 108m/m x 30m/m	Rodents - Mice - Rats	Harmless to humans
	Frequency range : 25,000Hz – 26,000Hz		No dangerous poison
	Effective range : 1,000 square feet unobstructed	Cockroaches	Safe for general pets
	Power supply : 9V alkaline battery x 1		Built-in automatic testing light
	Output sound pressure : 130dB (average)		9V alkaline battery can last for up to 4 months
Effective range : up to 500 sq. ft.	Absolutely Noiseless		
<b>Rs. 1550/- (Battery Operated)</b>			Easy to install

 <p>Ultrasonic Pest Repeller TM-315</p>	Dimensions : 23 x 18 x 9 cm	Rodents	Automatic Frequency Change
	Weight : 1200g	- Mice - Rats	Adjustable Sweeping Sound
	Sound Pressure : 115 dB	Birds	Safe, Reliable, Chemical-Free
	Consumption : 4 watts	Insects	Environment Friendly
	Frequency range : from 10,000 Hz to 65,000 Hz		Does not interfere with electrical appliances
	Effective range : upto 8000sq. ft.		Inaudible to humans
When in an open field without any obstruction, their coverage could be doubled		3D Ultrasonic Waves	
<b>Rs. 14500/-</b>			

<b>Prices :</b>	Ex. Our Ahmedabad Office
<b>Taxes :</b>	Extra as applicable
<b>Payment :</b>	100% advance with purchase order
<b>Delivery :</b>	within 2 weeks from the date of payment and order confirmation Units in stock will be dispatched immediately
<b>Pre-requisite :</b>	Kindly read pre-requisites sheet carefully to follow the steps listed
<b>Returns :</b>	No returns accepted except for manufacturing defect
<b>Warranty :</b>	1 year Manufacturers warranty on all products 6 months Manufacturers warranty for TM-315